



Our REATEC reaStripe 8 protected temperature indicators are a more cost-efficient variation of our reaStripe 10 protected indicators. They are based on a self-adhesive paper stripe, which is protected by a high-quality plastic film (lower temperatures) and a kapton film (higher temperatures). The temperature measuring points are applied to this stripe.

This indicator is characterized by its water and oil repellency, strength, very good thermal conductivity, and flexibility, and to achieve a fast and accurate response time even within difficult environment conditions, the measuring points are covered.

REATEC REATEC 216 °C 77 209 71 65.6 199 60 193 54,4 188 49 182 46 177 43.3

Temperature measuring stripes in use:

Our temperature measuring stripes are supplied as single (low temperatures) or double (higher temperatures) indicator stripes. A pack of 30 pieces corresponds to a quantity of 30 individual or 15 double indicators. They can be easily attached to the object, the temperature of which needs to be measured. Thanks to the plastic carrier, they are suitable for uneven and round objects.

On the temperature measuring stripes there is a scale with single, covered measuring points. As soon as a specified temperature is exceeded, the temperature measuring points in the respective boxes will change color within 1 to 2 seconds.


The color change is irreversible; once the temperature is exceeded, the temperature measuring points do not change back to the original color, even if the temperature drops again. Critical temperature fluctuations will be indicated even after a long time period e.g., during storage and transportation.

REATEC AG

Phone: +41 525 880 298 Mail: office@reatec.ch

Klettgauerstr. 67 CH-8212 Neuhausen am Rheinfall

reaStripe 8 protected





product number	temperature in °C							
001.SXP.08.XXX ¹	43,3	46	49	54,4	60	65,6	71	77
01A.SXP.08.XXX	65,6	71	77	82	88	93	99	104
002.SXP.08.XXX	93	99	104	110	116	121	127	132
02A.SXP.08.XXX	121	127	132	138	143	149	154	160
003.SXP.08.XXX	149	154	160	166	171	177	182	188
03A.SXP.08.XXX ²	177	182	188	193	199	204	209	216
004.SXP.08.XXX ²	204	209	216	224	232	243	249	254
041.SXP.08.XXX ²	209	216	224	232	243	249	254	260
042.SXP.08.XXX ²	231	235	242	245	249	255	261	264

material	paper/kapton/plastic				
measuring points	8				
protected	yes				
dishwasher suitable	no				
accuracy	1% above 100 °C +/- 1°C below 100°C				
reaction time	1-2 sec.				
dimensions	20 x 95 mm 25 x 100 mm ²				
storage conditions	cool, dry				

 2 03A - 042 protected with kapton film

- self-adhesive temperature measuring stripes
- paper carrier with plastic protection film / kapton film at high temperature
- for use in the environment of harmful substances e.g., such as water, oils, greases, and solvents
- 10 measuring points per indicator
- permanent color change from gray to black when the specified indicator temperatures are exceeded
- process monitoring and cost-effective long-term monitoring on surfaces of any kind

¹ product 001.SXP.08.XXX store in a refrigerator